POLY-SAFETYPACK®

Part #: 2038-YE

2038-YE-D (w/drain)

Exterior Dimensions: 60.5" L x 37.25" W x 45.75" H 154 cm x 95 cm x 116 cm

Interior Dimensions: 52.37" Lx 26.25" Wx 37" H

133 cm x 67 cm x 94 cm

Weight: 103 lbs. / 46.7 kg Sump Capacity: 130 gal. / 492.1 liters Handling Capacity: 1,200 lbs. / 544 kg Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

POLY-SAFETYPACK PLUS

Part #: 2077-YE

2077-YE-D (w/drain)

Exterior Dimensions: 60.25" L x 34.13" W x 64" H

153 cm x 87 cm x 163 cm

Interior Dimensions: 51.25" Lx 26.25" Wx 54.25" H

130 cm x 67 cm x 138 cm

Weight: 137 lbs. / 62 kg Sump Capacity: 264 gal. / 999.3 liters Handling Capacity: 1,200 lbs. / 544 kg Regulations: EPA 40 CFR 264.175 SPCC, NPDES and UFC

LARGE TOTE

Part #: 1505-YE

Exterior Dimensions: 45" L x 35.5" W x 30.37" H

114 cm x 91 cm x 77 cm

Interior Dimensions: 34" L x 25" W x 24.25" H 86 cm x 64 cm x 62 cm

Weight: 51.1 lbs. / 23 kg Sump Capacity: 123 gal. / 465.6 liters Handling Capacity: 500 lbs. / 227 kg

LARGE COMBO 4" WHEELS

Part #: 1510-YE

Dimensions: 45" L x 35.5" W x 36" H 114 cm x 90 cm x 91 cm

Weight: 59 lbs. / 33.7 kg Sump Capacity: 123 gal. / 465.6 liters Handling Capacity: 500 lbs. / 227 kg

LARGE COMBO 8" WHEELS

Part #: 1511-YE

Dimensions: 45" L x 35.5" W x 40" H

114 cm x 90 cm x 102 cm

Weight: 74 lbs. / 34 kg Sump Capacity: 123 gal. / 465.6 liters Handling Capacity: 500 lbs. / 227 kg

EXTRA LARGE TOTES

Part #: 1525-YE

Exterior Dimensions: 51.5" L x 47.25" W x 33" H

131 cm x 120 cm x 84 cm

Interior Dimensions: 42.5" L x 37" W x 28" H

108 cm x 94 cm x 71 cm

Weight: 76 lbs. / 34.5 kg Sump Capacity: 223 gal. / 844 liters Handling Capacity: 500 lbs. / 227 kg

EXTRA LARGE COMBO 4" WHEELS

Part #: 1530-YE

Dimensions: 51.5" L x 47.25" W x 38" H

131 cm x 120 cm x 97 cm

Weight: 86 lbs. / 39 kg Sump Capacity: 223 gal. / 844 liters Handling Capacity: 500 lbs. / 227 kg

EXTRA LARGE COMBO 8" WHEELS

Part #: 1531-YE

Dimensions: 51.5" L x 47.25" W x 42" H

131 cm x 120 cm x 107 cm

Weight: 99.7 lbs. / 45.2 kg Sump Capacity: 223 gal. / 844 liters Handling Capacity: 500 lbs. / 227 kg

POLY-SAFETYPACK®

SAFE, SECURE TWO-DRUM STORAGE.

This tough, indoor or outdoor performer protects two 55-gallon drums while containing leaks with a 130-gallon sump capacity. Drum access and removal is easy with our unique gull-wing covers. Items inside are protected from the weather with our unique slide-over lid design.

Security locks are included to secure the covers and contents. 100% polyethylene has excellent resistance to chemicals as well as weather.

Translucent sidewalls allow for an immediate view of liquids so you won't need to open the lids to see if there has been a leak. The Poly-Safetypack® is easily handled by forklift from two sides. Optional drain.



POLY-SAFETYPACK PLUS

TALLER FOR SECURE PUMPING STATIONS.

Poly-Safetypack® Plus provides the same results as the Poly-Safetypack® with the key advantage of a 54.25" inside height. This feature allows the lids to be closed with the pumps in place to create a versatile pumping station. Convenience meets functionality with its larger 264 gallon capacity. Optional drain.





LARGE TOTE & EXTRA LARGE TOTE

ENPAC® Totes are the only stackable, nestable, forkliftable, water resistant, mobile totes on the market. These units are available in two sizes: large and extra-large. Both offer a 500 lb handling capacity. Molded from FDA approved material.

Combo includes:

Lid with handles and

- 4" polyurethane wheels or
- 8" solid rubber wheels.







HAZARD HUT

THE SOLUTION TO YOUR INDOOR STORAGE PROBLEM IS OUTDOOR CONTAINMENT.

When floor space is at a premium indoors, take your hazardous materials outdoors with the Hazard Hut[®]. One-piece molded 100% polyethylene construction means there are no joints or seams to leak. Molded-in side vents reduce fumes, while UV protection makes it a durable

performer outside. Removable grates make it

easy to clean and the 72-gallon sump capacity ensures leak and spill containment.

Security is no problem. The double doors provide easy access for up to four (4) 55-gallon drums while their double-wall construction, heavy-duty hinges and lock latches keep contents secure. Four-way forkliftable design makes the Hazard Hut® easy to handle.

Massive sump has removable structural foam grates for easy cleaning.



Door opening 41.5" W x 48.5" H



HAZARD HUT POLY-RAMP

Loading the Hazard Hut® is easy with our Hazard Hut® Poly-Ramp. Just roll up the ramp and roll in the barrels!

Hazard Hut® Poly-Ramp features:

- Integrally molded handles
- 10° slope allows for easy loading
- Improved ribbed, non-skid surface
- 100% polyethylene

POLY-EDGE[™]

MULTI-FUNCTIONAL STORAGE UNIT OFFERS TRANSPORTABLE CONVENIENCE.

The Poly-Edge™ can be used as a truck-mounted carrier spill response unit or wall-mounted unit in such applications as manufacturing facilities, laboratories and hospitals.

The lockable, large capacity unit offers versatile storage for tools and absorbents as well as ENPAC® Stinger BermsTM and ProwlerTM Pools.

- Will not rust or corrode.
- Constructed of lightweight 100% polyethylene.
- Slotted footprint makes mounting easy.
- A special weather and water-resistant gasket keeps stored items dry.
- Available in black and yellow.





The Perfect Truck Spill Kit container! See details on page 41.

HAZARD HUT

Part #: 4000-YE

Dimensions:

Exterior: 63.5" Lx 68" W x 72.5" H 161 cm x 173 cm x 184 cm

Interior: 53.75" Lx 53.75" W x 52.25" H 137 cm x 137 cm x 133 cm

Weight: 268.7 lbs. / 121.8 kg Sump Capacity: 72 gal. / 275.5 liters Handling Capacity: 4,000 lbs. / 1,814 kg Regulations: EPA 40 CFR 264.175,

SPCC, NPDES and UFC

HAZARD HUT POLY-RAMP

Part #: 4001-BK

Dimensions: 118" L x 31" W x 15.25" H 300 cm x 79 cm x 39 cm

300 cm x 79 cm x 3 Weight: 154.1 lbs. / 69.9 kg

Weight: 134.1 lbs. / 69.9 kg Handling Capacity: 1,000 lbs. / 454 kg

The proper handling and disposal of construction and project waste is an important part of pollution prevention.



POLY-EDGE"

Part #: 1601-BK 1601-YE

Dimensions: 35" L x 20" W x 16" H

89 cm x 51 cm x 41 cm

Handling Cap: 75 lbs. / 34 kg

Mounting Slots: .625" / 1.6 cm wide

Weight: 14 lbs. / 6 kg

JOB HUT

Part #: Dimensions: Exterior:

Interior:

4010-YE

85.6" L x 61.5" Wx 94" H 217 cm x 156 cm x 239 cm 70" L x 51" W x 82" H 178 cm x 130 cm x 208 cm 480.2 lbs. / 217.8 kg

Weight: Handling Capacity: Sump Capacity: Regulations:

8,000 lbs. / 3,629 kg 72 gal. / 272.5 liters EPA 40 CFR 264.175, SPCC, NPDES and UFC

MULTI-PURPOSE WORK RAMP

Part #: Dimensions:

5111-BK 25.38" L x 46"

25.38" L x 46" W x 6.13" H

64 cm x 117 cm x 16 cm : 29.8 lbs. / 13.5 kg

Weight: 29.8 lbs. / 13.5 kg Handling Capacity: 1,000 lbs. / 454 kg

JOB HUT[™]

OUTDOOR STORAGE HAS NEVER BEEN SO PRACTICAL...OR SO AFFORDABLE!

If easy access, cost efficiency, and a large storage area are what you need then Job Hut^{TM} is your answer.

An extra large storage area lets you store up to eight (8) 55-gallon drums right on their pallets! Its low profile design allows for easy access, and it's forkliftable from all sides for effortless handling.

Tough polyethylene construction means it won't rust or corrode while UV inhibitors make it extra durable for outdoor use. A large 72-gallon sump capacity eliminates the risk of spills or leaks. Structural foam grates also remove for easy cleaning. What's more, molded-in vents reduce fumes and condensation inside, and heavy-duty hinges and lock keep contents secure.

The Job Hut[™] offers substantial savings when compared to similar metal or concrete storage buildings, while providing superior performance. The optional ramp facilitates loading your drums into the unit. Safe, secure, and cost-effective. One piece-no assembly!





Structural foam grates remove for easy cleaning.



Tie-down feature for secure anchorage.

CHECK OUT OUR
POLY-SPILLPALLET HARDCOVER
OPTIONS – ON PAGE 8 & 9 FOR
ADDITIONAL STORAGE OPTIONS.

MULTI-PURPOSE WORK RAMP

Make loading drums a cinch with the Multi-Purpose Work RampTM. Lightweight and easy to handle, it attaches to the Job HutTM in a snap! Improved non-skid surface eliminates risk of slipping. Features a 10° slope for easy loading. Also compatible with workstationsTM (see page 10).



2-DRUM HARDCOVER™ & SPILLPALLET

Part #: 4062-YE

4062-YE-D (with drain)

Dimensions:

Regulations:

Exterior: 60" L x 37.25" Wx 72.63" H

152 cm x 95 cm x 184 cm

Interior: 51" L x 30" W x 52" H

130 cm x 76 cm x 132 cm

Weight: 210 lbs. / 95 kg Sump Capacity: 58 gal. / 220 liters Handling Capacity: 2,000 lbs. / 907 kg

EPA 40 CFR 264.175, SPCC, NPDES



RAMP EXTENDER

Part #: 5038-BK

Dimensions: 29.5" L x 8.5" W x 5.5" H

 $75\,\mathrm{cm}\,\mathrm{x}\,22\,\mathrm{cm}\,\mathrm{x}\,14\,\mathrm{cm}$

 $Weight: \ 6 \ lbs. \ / \ 2.7 \ kg$ $Handling \ Capacity: \ 1,000 \ lbs. \ / \ 454 \ kg$

4-DRUM HARDCOVER™ & SPILLPALLET

Part #: 4064-YE

4064-YE-D (w/drain)

Dimensions:

Exterior: 65" L x 58" W x 69" H

165 cm x 147 cm x 175 cm

Interior: 49" L x 54" W x 53.5" H

124 cm x 137 cm x 136 cm

Weight: 269 lbs. / 122 kg

Sump Capacity: 66 gal. / 250 liters

Handling Capacity: 6,000 lbs. / 2,722 kg

Regulations: EPA 40 CFR 264.175,

SPCC, NPDES and UFC

POLY-RAMP"

Part #: 5039-BK

Dimensions: 68" L x 30.75" Wx 12.5" H

172 cm x 78 cm x 32 cm

Weight: 65 lbs. / 29.5 kg Handling Capacity: 1,000 lbs. / 454 kg



RAMP EXTENDER

Works with the ENPAC [®] Poly-RampTM to accommodate 17" high pallets and ENPAC [®] 2-Drum HardcoverTM. No more relying on expensive and obtrusive metal ramps. Simply retrofit your existing ENPAC [®] Poly-RampTM (Part # 5039-BK) with our Ramp Extender.

4-DRUM HARDCOVER® SPILLPALLET

SHOWN WITH OPTIONAL RAMP

A sturdy solution to indoor/outdoor storage of up to four (4) 55-gallon drums. Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem. Takes less than 25 square feet of floor space. Allows ample room for drum pumps. Weatherproof and lockable door!

- Removable grates for easy cleaning.
- Optional drain and ramp.
- Some assembly required.



WEATHER Proof!



POLY-RAMP™ WALK UP TO REAL VALUE.

Get big performance at a great price with our Poly Ramp™. The ribbed non-skid surface allows for safe walk-ups and traction loading. Holds up to 1,000 lbs of Handling Capacity weight.

- \bullet 100% polyethylene construction
- 10° ramp slope
- Ribbed, non-skid surface for safe walking
- Used with Part # 5102-BK, 5400-YE, 4062-YE and 4064-YE.