

SORBENT QUICK REFERENCE GUIDE

GETTING THE RIGHT PRODUCT FOR YOUR NEED

OIL ONLY: White and widely used for oils and hydrocarbons (available in meltblown and bonded). Oil-Only Sorbents provide superior water resistance and can absorb up to 25 times their weight. Ideal for absorbing oil off of water during maintenance and repair when needing to avoid soaking up water and water-based fluids.

UNIVERSAL: These highly versatile sorbents are grey and used in most all industries. Bonded for added strength and durability, Universal sorbents are a great choice for absorbing a wide range of fluids. These will absorb both water and oil-based liquids.

AGGRESSIVE: Also known as Hazmat sorbents, can range in a variety of colors with yellow being the most standard for visible hazardous material recognition. Aggressive sorbents are best used for the clean-up of unknown, toxic, flammable, corrosive and chemical substance spills.

ENSORB® SORBENTS

Our line of bonded natural sorbents are manufactured using highly absorbent, natural renewable-resource fibers, which make ENSORB® an exceptional value.

ENSORB® bonded natural sorbents are constructed from a single layer of extremely fine natural fibers that are point-bonded together. Proprietary chemical additives maximize and enhance the fibers' water repulsion, flame resistance (equal to or better than polypropylene), and resistance to microbes.

ENSORB® is manufactured with virtually no dependency on domestic or foreign oil production utilizing largely American-grown renewable resources. Our ENSORB® bonded product line—based on ASTM test standard 726 — on average absorbs better than competing polypropylene products by approximately 40%.




Our bonded ENSORB® pads are available in heavy and medium weights.



40%
MORE
ABSORBENT

ENSORB® HAS PROVEN TO BE 40% MORE ABSORBENT THAN COMPETING POLYPROPYLENE PRODUCTS.



ENSORB® PADS

Standard Size - 270 Sq. In. / 686 Sq. cm

Weights vary: 10-15lbs (4/5-6.8kgs)

Part #: ENP NOPB100H
Capabilities: Heavy Weight, Bonded Oil-only Pad, 100/bale

Part #: ENP NOPB100M
Capabilities: Medium Weight, Bonded Oil-only Pad, 100/bale

Part #: ENP NOPB200S
Capabilities: Single Weight, Bonded Oil-only Pad, 100/bale

Part #: ENP NOPL100H
Capabilities: Heavy Weight, Laminated Oil-only Pad, 100/bale

Part #: ENP NOPL100M
Capabilities: Medium Weight, Laminated Oil-only Pad, 100/bale

Part #: ENP NUPB100H
Capabilities: Heavy Weight, Bonded Universal Pad, 100/bale

Part #: ENP NUPB100M
Capabilities: Medium Weight, Bonded Universal Pad, 100/bale

Part #: ENP NUPB200S
Capabilities: Single Weight, Bonded Universal Pad, 100/bale

ENSORB® ROLLS

Standard Size - 28" x 150' / 71 cm x 38.1 m

Weight: 20.5 lbs. / 9.3 kg

Part #: ENP NORB30150
Capabilities: Heavy Weight, Bonded Oil-only Roll, 1/case

Part #: ENP NURB30150
Capabilities: Heavy Weight, Bonded Universal Roll, 1/case

Split Size - 14" x 150'

Oil-only PN: ENP NORB15150,

Universal PN: ENP NURB15150

ENSORB® PILLOWS

Part #: ENP 20NOPIL817
Capabilities: Oil-only Pillow, 20/case
Dimensions: 8" x 17", 20cm x 43cm

Part #: ENP 20NUPIL817
Capabilities: Universal Pillow, 20/case
Dimensions: 8" x 17", 20cm x 43cm

Part #: ENP 10NOPIL1717
Capabilities: Oil-only Pillow, 10/case
Dimensions: 17" x 17", 46cm x 46cm

Part #: ENP 10NUPIL1717
Capabilities: Universal Pillow, 10/case
Dimensions: 17" x 17", 46 cm x 46cm

ENSORB® SOCKS

Standard Size - 3" and 4" Diameter

Part #: ENP 40NOS34
Capabilities: Oil-only Sock, 40/case
Dimensions: 3" x 4' / 8 cm x 1m

Part #: ENP 40NUS34
Capabilities: Universal Sock, 40/case
Dimensions: 3" x 4' / 8 cm x 1m

Part #: ENP 10NUS38
Capabilities: Universal Sock, 10/case
Dimensions: 3" x 8' / 8 cm x 2 m

SORBENT PILLOWS

Weight: 26 lbs. / 11.8 kg

Part #: ENP 40OPIL1010

Capabilities: Oil-only Pillow

Dimensions: 10" x 10" / 25cm x 25cm

Quantity: 40/case

Part #: ENP 16OPIL1818

Capabilities: Oil-only Pillow

Dimensions: 18" x 18" / 46cm x 46cm

Quantity: 16/case

Part #: ENP 40UPIL1010

Capabilities: Universal Pillow

Dimensions: 10" x 10" / 25cm x 25cm

Quantity: 40/case

Part #: ENP 16UPIL1818

Capabilities: Universal Pillow

Dimensions: 18" x 18" / 46cm x 46cm

Quantity: 16/case

Part #: ENP 40HPIL1010

Capabilities: Hazmat Pillow

Dimensions: 10" x 10" / 25cm x 25cm

Quantity: 40/case

Part #: ENP 16HPIL1818

Capabilities: Hazmat Pillow

Dimensions: 18" x 18" / 46cm x 46cm

Quantity: 16/case

SORBENT BOOMS

Part #: ENP OB510

Capabilities: Oil-only Boom,

Dimensions: 5" x 10' / 13cm x 3m

Quantity: 4/case

Weight: 26 lbs. / 11.8 kg

Part #: ENP OB810

Capabilities: Oil-only Boom,

Dimensions: 8" x 10' / 20cm x 3m

Quantity: 4/case

Weight: 42 lbs. / 19 kg

DRUMTOPPER PADS

Part #: ENP 25UDT

Capabilities: Universal

Size: Heavy Weight, Sonic-Bonded

Fits 55-gallon drums

Quantity: 25/case

Weight: 5 lbs. / 2.3 kg

Part #: ENP 25ODT

Capabilities: Oil-Only

Size: Heavy Weight, Sonic-Bonded

Fits 55-gallon drums

Quantity: 25/case

Weight: 5 lbs. / 2.3 kg

Note: colors, sizes and case counts subject to change without notice.

SORBENT PILLOWS

Thirsty loose-filled pillows available in Oil-Only, Universal, and Aggressive pick up your spills quickly and efficiently.



BOOMS

ENPAC® oil only, oil-select polypropylene sorbent booms are great for picking up all spilled oils and hydrocarbons on water. Fast-wicking white fibers are stuffed into 5" and 8" diameter booms 10' long. Comes complete with hooks and loops to link booms together for spills over large areas. Ideal for catch basins, sumps, marinas, and industrial applications.

DRUMTOPPER™ PADS

ENPAC® meltblown oil-select polypropylene sorbent pads are the most cost-effective absorption technology today. Fast-wicking fibers absorb up to 25 times their weight.



SORBENT PADS

ENPAC® meltblown polypropylene sorbent pads are the most cost-effective absorption technology available in oil-only, universal, and aggressive.

* Sonic-Bonded, Laminated, and other Pads available, call for further information.



SORBENT ROLLS

ENPAC® polypropylene sorbent rolls are available in Oil-Only and Universal with or without perforations. Fast-wicking fibers allow them to absorb up to 25 times their weight!



SORBENT SOCKS

ENPAC® sorbent socks are an excellent choice for surrounding spills and for use around machinery and equipment. Nominal lengths of 4' and 8' available in standard 3" diameter.



Additional Sorbent items available, contact us for more information.
1-800-936-7229

SORBENT PADS

Standard Size - 270 Sq. In. / 686 Sq. cm

Weights Vary: 9-18 lbs. (4-8.2 kg)

Part #: ENP OP100H

Capabilities: Heavy Weight, Oil-only Pad, 100/case

Part #: ENP OP100M

Capabilities: Medium Weight, Oil-only Pad, 100/case

Part #: ENP OP200S

Capabilities: Single Weight, Oil-only Pad, 200/case

Part #: ENP UPB100H

Capabilities: Heavy Wt., Bonded Universal Pad, 100/case

Part #: ENP UPB100M

Capabilities: Medium Wt., Bonded Universal Pad, 100/case

Part #: ENP UPB200S

Capabilities: Single Wt., Bonded Universal Pad, 200/case

Part #: ENP HPB100H

Capabilities: Heavy Wt., Bonded Haz-Mat Pad, 100/case

Part #: ENP HPB100M

Capabilities: Medium Weight, Bonded Haz-Mat Pad, 100/case

SORBENT ROLLS

Standard Size - 30" x 150' (76 cm x 46 m)

Splits - 15" x 150' (38 cm x 46 m)

Part #: ENP ORB30150

Capabilities: Heavy Weight, Bonded Oil-only Roll

Part #: ENP ORB15150

Capabilities: Heavy Weight, Bonded Oil-only Roll, Split

Part #: ENP URB30150

Capabilities: Heavy Weight, Bonded Universal Roll

Part #: ENP URB15150

Capabilities: Heavy Weight, Bonded Universal Roll, Split

Part #: ENP HRB30150

Capabilities: Heavy Weight, Bonded Haz-Mat Roll

Part #: ENP HRB15150

Capabilities: Heavy Weight, Bonded Haz-Mat Roll, Split

SORBENT SOCKS

Standard Size - 3" / 7.6 cm Diameter

Part #: ENP 40OS34

Capabilities: Oil-only Sock, 40/case
Dimensions: 3" x 4', (8 cm x 1m)

Part #: ENP 20OS38

Capabilities: Oil-only Sock, 20/case
Dimensions: 3" x 8', (8 cm x 2m)

Part #: ENP 40US34

Capabilities: Universal Sock, 40/case
Dimensions: 3" x 4', (8 cm x 1m)

Part #: ENP 20US38

Capabilities: Universal Sock, 20/case
Dimensions: 3" x 8', (8 cm x 2m)

Part #: ENP 40HS34

Capabilities: Haz-Mat Sock, 40/case
Dimensions: 3" x 4', (8 cm x 1m)

Part #: ENP 20HS38

Capabilities: Haz-Mat Sock, 20/case
Dimensions: 3" x 8', (8 cm x 2m)



TRAUMA-SORB™ MEDICAL SORBENTS

ENPAC® is proud to introduce a new line of Sorbents. **Trauma-Sorb™ Medical Sorbents** provide excellent absorbance of fluids while protecting medical equipment, staff, and the environment. From flat socks to lab sheets, **Trauma-Sorb™** has it covered!

TRAUMA-SORB™ FOLDED FLAT SOCK



The **Trauma-Sorb™** heavy weight tri-folded flat sock is made with a durable white cellulose material. This product can be unfolded to 11.5" wide to contain spills on floors or other surfaces.

TRAUMA-SORB™ FLAT SOCKS

Standard Size - 4" x 60" / 10 cm x 152 cm

Part #: ENP FGI161450

Weight: 7.0 lbs / 3.2 kg

Quantity: 18 / box

Absorbency: 7.5 gal / 28.39 liters



TRAUMA-SORB™ WIPES

The **Trauma-Sorb™** heavy weight tri-folded flat wipe is made with a white embossed cellulose fiber. Unfolded, it becomes a 11" x 12" wipe. It can be used to clean non-sterile equipment or for general purpose use to absorb and wipe up spills.

TRAUMA-SORB™ WIPES

Standard Size - 11" x 12" / 28 cm x 30 cm

Part #: ENP FGI101750

Weight: 4.5 lbs / 2 kg

Quantity: 250 / case

Absorbency: 2.0 gal / 7.57 liters

TRAUMA-SORB™ PADS

The **Trauma-Sorb™** heavy weight medical pads are made with expanded cellulose to absorb spills quickly and easily. This product provides absorption protection from spills and can be used to cover work floors and surfaces.



TRAUMA-SORB™ HEAVY WEIGHT PADS

Standard Size - 16" x 18" / 41 cm x 46 cm

Part #: ENP FGI101630

Weight: 14.25 lbs / 6.5 kg

Quantity: 100 / bale

Absorbency: 23 gal / 104.5 liters

TRAUMA-SORB™ SINGLE WEIGHT PADS

Standard Size - 16" x 18" / 41 cm x 46 cm

Part #: ENP FGI101610

Weight: 13.25 lbs / 6 kg


Quantity: 200 / bale

Absorbency: 15 gal / 68.2 liters

TRAUMA-SORB™ LAB SHEETS



The **Trauma-Sorb™** heavy weight lab sheets are made with an airlaid material and polyethylene backing. This product provides absorption protection from spills and can be used to cover work surfaces or floors at work stations.



Other sizes available, call for information.

TRAUMA-SORB™ HEAVY WEIGHT LAB SHEET

Standard Size - 16" x 24" / 41 cm x 61 cm

Part #: ENP FGM001624

Weight: 0.6 lbs / 28 g

Quantity: 400 / case

Absorbency: 17.83 gal / 67.5 liters

TRAUMA-SORB™ O.R. MAT

The **Trauma-Sorb™** operating room mat safely absorbs blood and other body fluids in your operating room, emergency room, or wherever large spills may occur. The disposable mats absorb solutions perfect for:

- Saline
- Betadine
- Sterilants
- Blood

Mats also help to avoid slipping on wet floors. Facilitates faster operating room clean-up and turn-around.



TRAUMA-SORB™ SPILL KITS



Speedy Duffel™ Spill Kit
20" x 9" x 19"

Fast Pack™ Spill Kit
8" x 17"

Compact and portable, **Trauma-Sorb™** heavyweight absorbent kits protect medical equipment, staff, and the environment in emergency response conditions. Provides absorption protection for saline, sterilants, blood and other body fluids. Convenient nylon handles and straps provide easy transport and response. Refills available.

IMBIBER BEADS® IMBICATOR®

THE WORLD'S ONLY ENGINEERED ABSORBENT POLYMER FOR HAZARDOUS CHEMICAL SPILLS.

Polypropylene, kitty litter, and solidification agents move over! Imbiber Beads® simply work better. They "capture and contain" a broad range of liquid organics including gasoline, diesel and jet fuels, transformer oils, chlorinated solvents, and many more hazardous chemicals. Imbiber Beads® eliminate "free liquids" and the secondary contamination associated with surface-coating sorbents such as polypropylene and kitty litter.

Imbiber Beads® also "blow away" the competition in another critical area. The elimination of free liquids means up to 99% vapor reduction and up to 600% reduction in the rate of volatile vapor release over polypropylene. It is the vapors that support combustion and the vapors that are toxic when inhaled!



Imbiber Beads® are the **ONLY** color-change-indicating product on the market.



They change from white, to pink, to red...



...As the concentration of organic liquid increases. They're unaffected by water!

Imbiber Beads® is a Registered Trade Mark of Imbibitive Technologies Corporation.

TRAUMA-SORB™ OPERATING ROOM MAT

Standard Size - 32" x 72" / 81 cm x 183 cm
Part #: ENP FGM-003272
Weight: 7.25 lbs / 3.3 kg
Qty: 25 / case
Absorbency: 3.17 gal / 12.0 liters

SPEEDY DUFFEL™ TRAUMA-SORB™ SPILL KIT

Absorbs up to 13 gal. / 49.2 liters
Part #: 1315-RD
Weight: 13 lbs. / 5.9 kg

Kit includes: Speedy Duffel Heavy-duty Duffel, 1 - Box Flat Socks, 25 - HW Pads, 50-Wipers, 2- Disposal Bags w/Ties, 2 pr Nitrile Gloves, 2 pr Goggles, and MSDS(s).

FAST PACK™ TRAUMA-SORB™ SPILL KIT

Absorbs up to 5 gal. / 18.9 liters
Part #: 1314-RD
Weight: 7 lbs. / 3.2 kg

Kit includes: Fast Pack Heavy-duty Duffel, 6 - Flat Socks, 10 - HW Pads, 25-Wipers, 1- Disposal Bags w/Tie, 1 pr Nitrile Gloves, 1 pr Goggles, and MSDS(s).

IMBIBER BEADS® IMBICATOR®

Part #: ENPIE0077
Description: Packets
Dimensions: 7" x 7" / 18 cm x 18 cm
Weight: 9 lbs. / 4.1 kg
Quantity: 30/Case

Part #: ENPIE0742
Description: Mini Boom
Dimensions: 7" x 72" / 18 cm x 183 cm
Weight: 8 lbs. / 3.6 kg
Quantity: 5/Case

Part #: ENPIE1421
Description: Pillows
Dimensions: 14" x 21" / 17 cm x 53 cm
Weight: 7 lbs. / 3.2 kg
Quantity: 5/Case


Part #: ENPIE2135
Description: Blanket
Dimensions: 21" x 35" / 53 cm x 89 cm
Weight: 8 lbs. / 3.6 kg
Quantity: 2/Case

Part #: ENPIES505000
Description: Imbiber Beads®/Sand mix
Weight 20 lbs. / 91 kg

IMBIBER BEADS®



1 Dia.



This volume of Imbiber Beads®...will pick up this volume of gasoline



...and swell to a bead

3.2 Dia.

DRIP SENTINEL™ MAINTENANCE BLANKET™

4720-BK

Dimensions: 12' L x 3' W x 20 mil
457 cm x 122 cm x .3 cm
Weight: 6 lbs. / 2.7 kg
Capacity: 6 gal. / 23 liters
Regulations: EPA, SPCC and NPDES

4725-BK

Dimensions: 12' L x 6' W x 120 mil
365 cm x 183 cm x .3 cm
Weight: 7 lbs. / 2.7 kg
Capacity: 7 gal. / 26.5 liters
Regulations: EPA, SPCC and NPDES

4730-BK

Dimensions: 12' L x 9' W x 120 mil
305 cm x 244 cm x .3 cm
Weight: 9 lbs. / 4 kg
Capacity: 8 gal. / 30 liters
Regulations: EPA, SPCC and NPDES

4735-BK

Dimensions: 12' L x 12' W x 120 mil
305 cm x 305 cm x .3 cm
Weight: 10 lbs. / 4.5 kg
Capacity: 9 gal. / 34 liters
Regulations: EPA, SPCC and NPDES

DRIP SENTINEL™ MAINTENANCE BLANKET™

The ENPAC® Maintenance Blanket™ is designed to be used under vehicles or leaking equipment. The sorbent blanket is made of 8 oz., 100 mils thick, non-woven geo-textile that is backed by a layer of 20-mil fuel/chemical resistant polyethylene. The blanket provides a protective sorbent pad between the maintenance item and placement area. The fabric backing provides an extra barrier that (unless punctured) stops any hydrocarbon from getting to ground. The blanket can be rolled or folded into a compact lightweight unit. It is an inexpensive alternative to heavier, more costly fabric mats.



DRIP SENTINEL™ HOSE BIBB™

Part #: 4701-YE (Each)
4701-YE-BX (5/Box)
Dimensions: .75" quick-disconnect fitting
Max. Opening: 2.5" / 6 cm
Absorption Capacity: 8 oz. / 237 ML
Holding Capacity: 1 pt. / 473 ML
Regulations: EPA, SPCC and NPDES

DRIP SENTINEL™ HOSE BIBB™

Safely wrap quick-disconnect fittings or other hose attachment ends to absorb small leaks when disconnecting hoses from industrial equipment. Integrated internal sorbent allows for containment up to 1 pint of oil, hydraulic fluid, or other hydrocarbons. Tether closure system holds the unit around the hose and fitting. Units are made of rugged and chemically resistant material. Lightweight and made in high visibility yellow.



DRIP SENTINEL™ HOSE WRAPS™

SMALL

Part #: 4702-YE
Dimensions: Fits 1.5" - 3" hose / 4 cm - 8 cm
Weight: .5 lbs. / .23 kg
Regulations: EPA, SPCC and NPDES

MEDIUM

Part #: 4704-YE
Dimensions: Fits 4" - 5" hose / 10 cm - 13 cm
Weight: 1.1 lbs. / .5 kg
Regulations: EPA, SPCC and NPDES

LARGE

Part #: 4706-YE
Dimensions: Fits 6" - 8" hose / 15 cm - 20 cm
Weight: 1 lbs. / .5 kg
Regulations: EPA, SPCC and NPDES

X-LARGE

Part #: 4710-YE
Dimensions: Fits 10" hose / 25.4 cm
Weight: 1.1 lbs. / .5 kg
Regulations: EPA, SPCC and NPDES

DRIP SENTINEL™ HOSE WRAP™

Does your industrial hose or fitting have a leak? Contain it and prevent costly leaks and spills that can cause injuries to your workers with the ENPAC® Hose Wrap. Made of rugged and chemically resistant material and an integrated sorbent pad. Hose Wrap™ will absorb leaks from hoses and fittings from 2" to 10" in size. Four sizes available to fit most applications; integrated sorbent pad absorbs hydrocarbons.



Pads are integrated and replaceable.

STORM SENTINEL™ ADJUSTABLE CATCH BASIN INSERT

The Storm Sentinel™ Drain Protection Inserts help companies comply with Stormwater Pollution Prevention Plans and Stormwater Best Management Practices by protecting your storm drains and catch basins. It is the sure way to catch oil and sediment headed into storm drains and sewers. Equipped with an oil-absorbent media in a screened bag, the Storm Sentinel™ guards against any potential discharge.



ENHANCED DESIGN

ENPAC's® enhanced design has increased the surface area for greater sediment retention while decreasing the depth of the unit in the catch basin.

- 1341 & 1344 fit any size rectangular catch basin's from 16"x20" to 28"x36". XL version fits rectangular catch basin's up to 42"x42".
- 1340 & 1343 fit any size round catch basin's from 27" to 29" in diameter.
- Up to 500 GPM overflow rate helps avoid ponding.

- Requires no special tools to install.
- Helps comply with NPDES, 40 CFR 122.26 when used as Best Management Practice in Storm Water Pollution Prevention Plans.
- U.S. Patent No. 7,201,843
- Custom sizes available.



TO INSTALL: Remove grate and adjust wire frame to fit in recess.



Place insert into recess and frame into corners. Replace metal grate.



No part of the insert extends above the surface.



TO REMOVE: Simply lift the grate, grab the handle and pull out the insert.



NEW

STORM SENTINEL™ ADJUSTABLE CURB INLET INSERT

ENPAC's® new Storm Sentinel™ Adjustable Curb Inlet Insert was designed and engineered to perform to the same demanding test requirements as our award winning Catch Basin Inserts. You can now have the same high quality inserts for Curb Inlet situations. Adjustable to fit curb inlet openings from 24" to 30" wide.

Insert won't fall into the basin, even when fully loaded. Dispose of the used insert according to company policy and all applicable laws and regulations.

GREAT FOR USE IN:

- Industrial facilities
- Construction sites
- Parking lots
- Drive-up retail facilities

Competitive units require multiple people to get the job done. With the storm sentinel™, installation and removal is always a 1-person job!

STORM SENTINEL™ CATCH BASIN INSET

Regulations: EPA, SPCC and NPDES
Round, 27" to 29" (69cm to 74cm)

Part #: 1340-TD
Description: Trash & Debris
Weight: 2 lbs. / 1 kg

Part #: 1340
Description: Trash, Sediment, Debris
Weight: 2 lbs. / 1 kg

Part #: 1343
Description: Trash, Sediment, Debris, Oils, Hydrocarbons
Weight: 3 lbs./ 1.4 kg

Rectangular, 16x20" to 28x36"
(41cm x 51cm to 71 x 97cm)

Part #: 1341-TD
Description: Trash & Debris
Weight: 2 lbs. / 1 kg

Part #: 1341
Description: Trash, Sediment, Debris
Weight: 2 lbs. / 1 kg

Part #: 1344
Description: Trash, Sediment, Debris, Oils Hydrocarbons
Weight: 4 lbs. / 2 kg

Extra Large Rectangular, 25"x25" to 42x42"
(64cm x 64cm to 107cm x 107cm)


Part #: 1341-TD-XL
Description: Trash & Debris
Weight: 3 lbs. / 1.4 kg

Part #: 1341-XL
Description: Trash, Sediment, Debris
Weight: 3 lbs. / 1.4 kg

Part #: 1344-XL
Description: Trash, Sediment, Debris, Oils, Hydrocarbons
Weight: 4 lbs. / 2 kg

DRAIN DAM

Redirect water into catch basin while absorbing some hydrocarbons.



Part #: 1345
Size: 15" x 4" x 4"
38 cm x 10 cm x 10 cm
Weight: 6 lbs./2.7 kg
Quantity: 2/pkg

VAPOR PACKETS

Part #: ENP IE0077
Description: Non-leaching Hydrocarbons
Quantity: 30/case

STORM SENTINEL™ CURB INLET INSERT

Regulations: EPA, SPCC and NPDES
Fits 24" to 30" (61cm x 76cm)

Part #: 1346-TD
Description: Trash & Debris
Weight: 2 lbs. / .907 kg

Part #: 1346
Description: Trash, Debris & Sediment
Weight: 2 lbs. / .907 kg

Part #: 1346-OH
Description: Trash, Debris, Sediment, Oils & Hydrocarbons
Weight: 3 lbs. / 1.36 kg

3' X 3'

Part #: 430303
Dimensions: 36" x 36"
91 cm x 91 cm
Weight: 6 lbs / 2.7 kg
Flow Rate: 500 gpm

6' X 6'

Part #: 430606
Dimensions: 72" x 72"
183 cm x 183 cm
Weight: 12 lbs / 5.4 kg
Flow Rate: 1,000 gpm

12' X 12'

Part #: 431212
Dimensions: 144" x 144"
366 cm x 366 cm
Weight: 24 lbs / 10.8 kg
Flow Rate: 2,000 gpm

UNIVERSAL POLY-DRUM™ FUNNEL

Part #: 3004-YE
Diameter Exterior: 26" / 66 cm
Diameter Interior: 22" / 56 cm
Height Exterior: 5.25" / 13 cm
Height Interior: 4" / 10 cm
Weight: 3 lbs. / 1.4 kg
Regulations: EPA, SPCC and NPDES

UNIVERSAL POLY-DRUM™ FUNNEL COVER

Part #: 3040-YE
Diameter Exterior: 26" / 66 cm
Diameter Interior: 22" / 56 cm
Height Exterior: 5.5" / 14 cm
Height Interior: 4" / 10 cm
Weight: 3 lbs. / 1.4 kg

UNIVERSAL POLY-DRUM™ SAFETY FUNNEL

Part #: 3004-YE-SF
Diameter Exterior: 26" / 66 cm
Diameter Interior: 22" / 56 cm
Height Exterior: 5.5" / 14 cm
Height Interior: 4" / 10 cm
Weight: 5 lbs. / 2.3 kg
Regulations: EPA, SPCC and NPDES

POLY-PAIL FUNNEL™

Part #: 3005-YE
Diameter Exterior: Top: 9.25" / 23.5 cm
Bottom: 11" / 28 cm
Diameter Interior: 8.5" / 22 cm
Height Exterior: 2.75" / 7 cm
Height Interior: 2.375" / 6 cm
Weight: 1.75 lbs. / .8 kg
Regulations: EPA, SPCC and NPDES

POLY-PAIL FUNNEL™ COVER

Part #: 3051-YE
Diameter Exterior: 9.25" / 23.5 cm
Height Exterior: 2.38" / 6 cm
Weight: 1 lbs. / .45 kg

POLY-DRUM TOPPER™

Part #: 3065-BK
Diameter Exterior: 25.5" / 64 cm
Height Exterior: 3.75" / 10 cm
Weight: 1.5 lbs. / .68 kg

BOSS DEWATERING FILTER BAGS

BOSS Filter Bags rely on the innovative new design and high quality filter material for removing sediment from discharge pump water. Features include a round neck opening (up to 4") with a web strap closure. The filter bag is formed from non-woven, polypropylene geo-textile material made for removing oil, grease, sediment, litter and debris from pump water.



The BOSS Filter Bag is an inexpensive and easy-to-use Best Management Practice (BMP), that will help you comply with NPDES, EPA 40 CFR 122.26 Stormwater Regulations.



UNIVERSAL POLY-DRUM™ FUNNEL & COVER

UNIVERSAL POLY-DRUM™ FUNNEL WITH OPTIONAL COVER

Fits both closed-head and open-head 55-gallon drums, 30-gallon drums, and other containers. Just set it and forget it! Exclusive features include patented scalloped design, high side wall and bung fitting holders, and an optional cover for added protection and more value! Optional lockable cover (lock not included) for use with Part # 3004-YE and 3004-YE-SF. A snap to install with all necessary hardware; instructions included.



UNIVERSAL POLY-DRUM™ SAFETY FUNNEL

Part # 3004-YE-SF
All the same features as the Universal Poly-Drum™ Funnel plus a non-sparking safety bung closure with flame arrestor. Ideal for flammable liquids. Optional cover available.



POLY-PAIL FUNNEL™

Part # 3005-YE
Mounts to 3.5, 5, and 6-gallon tight-head pails. Also fits open-top pails with 12" diameter.



POLY-PAIL FUNNEL™ COVER

Part # 3051-YE
For use with Part # 3005-YE



POLY-DRUM TOPPER™

Part # 3065-BK
Our Drum Topper™ snaps directly onto any 55-gallon open or closed-head drum to keep out debris and protect drum tops.