



Optional tarp available (Part # 5253-TARP, p. 11)

## 2-DRUM POLY-SPILLPALLET™ 2000

This secondary containment system is engineered to meet the rigors of today's regulatory environment. Made with 100% polyethylene, it provides excellent chemical resistance. Optional drain with plug.

- Meets EPA 40 CFR 264.175
- Holds up to 2,000 lbs Handling Capacity
- Forkliftable
- Removable grate for easy cleaning



See pages 2-3



Optional tarp available (Part # 5102-TARP, p. 11)

## LOW-PROFILE IN-LINE POLY-SPILLPALLET™ 3000 WHERE NO DRUM STORAGE HAS GONE BEFORE.

Store drums in-line near a wall, between columns, and in all those spaces once thought to be unusable. Optional drain.

- Holds four (4) 55-gallon drums
- Low 12" profile
- Holds up to 3,000 lbs Handling Capacity weight
- Raised edge on back and sides helps orient barrels on pallet
- Non-skid, removable grates
- 66-gallon sump capacity meets EPA 40 CFR 264.175
- 100% polyethylene



Optional tarp available (Part # 5400-TARP, p. 11)

## POLY-SLIM-LINE™ 6000 SLIM IS IN.

Poly-Slim-Line 6000 offers all of the same advantages as our Poly-SpillPallet 6000... and more! This addition to our pallet family features a low 12" profile and a handling capacity of 6000 lbs. Optional drain.

## POLY-SPILLPALLET™ 6000 DESIGNED FOR MAXIMUM LOAD.

Rated at 6,000 lbs handling capacity weight with a 83-gallon sump capacity that meets EPA 40 CFR 264.175. Square 50" x 50" footprint saves space, yet easily holds four (4) 55-gal-lon drums. Includes the same rugged features as the 5253-YE. Optional drain.

- Two (2) removable grates
- Forkliftable from all sides



Optional tarp available (Part # 5001-TARP, p. 11)

## 2-DRUM POLY-SPILLPALLET™ 2000

Part #:	5253-YE 5253-YE-D (w/drain)
Dimensions:	53.5" L x 29" W x 17" H 136 cm x 74 cm x 43 cm
Weight:	55.5 lbs. / 25.1 kg
Sump Capacity:	58 gal. / 219.5 liters
Handling Capacity:	2,000 lbs. / 907 kg
Regulations:	EPA 40 CFR 264.175, SPCC and NPDES

## IN-LINE POLY-SPILLPALLET™ 3000

Part #:	5102-YE 5102-YE-D (w/drain)
Dimensions:	98" L x 25.25" W x 12" H 249 cm x 64 cm x 30 cm
Weight:	83.7 lbs. / 37.9 kg
Sump Capacity:	66 gal. / 249.8 liters
Handling Capacity:	3,000 lbs. / 1,361 kg
Regulations:	EPA 40 CFR 264.175, SPCC, NPDES and UFC



## POLY-SLIM-LINE™ 6000

Part #:	5400-YE 5400-YE-D (w/drain)
Dimensions:	54" L x 54" W x 12" H 137 cm x 137 cm x 30 cm
Weight:	91 lbs. / 41.4 kg
Sump Capacity:	66 gal. / 249.8 liters
Handling Capacity:	6,000 lbs. / 2,721.5 kg
Regulations:	EPA 40 CFR 264.175, SPCC, NPDES and UFC

## POLY-SPILLPALLET™ 6000

Part #:	5001-YE 5001-YE-D (w/drain)
Dimensions:	50" L x 50" W x 17" H 127 cm x 127 cm x 43 cm
Weight:	88.1 lbs. / 39.9 kg
Sump Capacity:	83 gal. / 314.1 liters
Handling Capacity:	6,000 lbs. / 2,722 kg
Regulations:	EPA 40 CFR 264.175, SPCC, NPDES and UFC

## 2-DRUM HARDCOVER™ & SPILLPALLET

Part #: 4062-YE  
4062-YE-D (with drain)

### Dimensions:

Exterior: 60" L x 37.25" W x 72.63" H  
152 cm x 95 cm x 184 cm  
Interior: 51" L x 30" W x 52" H  
130 cm x 76 cm x 132 cm

Weight: 210 lbs. / 95 kg

Sump Capacity: 58 gal. / 220 liters

Handling Capacity: 2,000 lbs. / 907 kg

Regulations: EPA 40 CFR 264.175,  
SPCC, NPDES



LOCKABLE  
DOOR!



See pages 2-3

## RAMP EXTENDER

Part #: 5038-BK

Dimensions: 29.5" L x 8.5" W x 5.5" H  
75 cm x 22 cm x 14 cm

Weight: 6 lbs. / 2.7 kg

Handling Capacity: 1,000 lbs. / 454 kg



## RAMP EXTENDER

Works with the ENPAC® Poly-Ramp™ to accommodate 17" high pallets and ENPAC® 2-Drum Hardcover™. No more relying on expensive and obtrusive metal ramps. Simply retrofit your existing ENPAC® Poly-Ramp™ (Part # 5039-BK) with our Ramp Extender.

WEATHER  
PROOF!

## 4-DRUM HARDCOVER™ & SPILLPALLET

SHOWN WITH OPTIONAL RAMP

A sturdy solution to indoor/outdoor storage of up to four (4) 55-gallon drums. Roll-top design allows it to be used in limited space or next to buildings where swing-open doors would be a problem. Takes less than 25 square feet of floor space. Allows ample room for drum pumps. Weatherproof and lockable door!

- Removable grates for easy cleaning.
- Optional drain and ramp.
- Some assembly required.



## 4-DRUM HARDCOVER™ & SPILLPALLET

Part #: 4064-YE  
4064-YE-D (w/drain)

### Dimensions:

Exterior: 65" L x 58" W x 69" H  
165 cm x 147 cm x 175 cm  
Interior: 49" L x 54" W x 53.5" H  
124 cm x 137 cm x 136 cm

Weight: 269 lbs. / 122 kg

Sump Capacity: 66 gal. / 250 liters

Handling Capacity: 6,000 lbs. / 2,722 kg

Regulations: EPA 40 CFR 264.175,  
SPCC, NPDES and UFC

## POLY-RAMP™

Part #: 5039-BK

Dimensions: 68" L x 30.75" W x 12.5" H  
172 cm x 78 cm x 32 cm

Weight: 65 lbs. / 29.5 kg

Handling Capacity: 1,000 lbs. / 454 kg



## POLY-RAMP™ WALK UP TO REAL VALUE.

Get big performance at a great price with our Poly Ramp™. The ribbed non-skid surface allows for safe walk-ups and traction loading. Holds up to 1,000 lbs of Handling Capacity weight.

- 100% polyethylene construction
- 10° ramp slope
- Ribbed, non-skid surface for safe walking
- Used with Part # 5102-BK, 5400-YE, 4062-YE and 4064-YE.

## 2, 4, 6 AND 8-DRUM WORKSTATIONS™

There's no need to worry about incidental spills on your factory floor. ENPAC's® Workstations™ are the easiest to load with a low profile design and optional ramp. Each Workstation™ is designed for stand-alone use or can connect with other Workstations™ for a customized work area.

- Forkliftable when empty.
- Tough, one-piece polyethylene construction that will not rust or corrode.
- Low-profile Workstations™ actually become part of your factory floor, optimizing space for increased safety and efficiency.
- Makes drum loading a snap.
- Large sump capacity catches incidental spills.
- Multi-Purpose Work Ramp™ hooks onto any Workstation™ for easy loading.
- Removable heavy-duty structural foam grates for easy cleaning.
- Rolled-edge design helps resist cracking and warpage.




### LINK-LOCK™

SECURELY HOOKS MULTIPLE WORKSTATIONS® TOGETHER.

Link and lock multiple Workstations™ together in a wide variety of configurations. Sold in pairs.

### GRATES

New replacement grates are available for when contamination occurs. Call ENPAC® customer service for details.



### MULTI-PURPOSE WORK RAMP™

MAKES YOUR JOB EVEN EASIER.

For easier loading, just hook the Multi-Purpose Work Ramp™ onto any of our Workstations™. The work ramp is small enough to stay out of your way.

### 2-DRUM WORKSTATION™

Forkliftable

Part #: 5117-YE  
 Dimensions: 53" L x 28.5" W x 5.63" H  
 135 cm x 72 cm x 14 cm  
 Weight: 38.2 lbs. / 17.3 kg  
 Sump Capacity: 22 gal. / 83.2 liters  
 Handling Capacity: 2,400 lbs. / 1,089 kg  
 Regulations: EPA, SPCC and NPDES

### 4-DRUM WORKSTATION™

Forkliftable

Part #: 5116-YE  
 Dimensions: 53" L x 53" W x 6" H  
 133 cm x 135 cm x 15 cm  
 Weight: 70.5 lbs. / 32 kg  
 Sump Capacity: 41 gal. / 151.4 liters  
 Handling Capacity: 6,000 lbs. / 2,722 kg  
 Regulations: EPA, SPCC and NPDES

### 6-DRUM WORKSTATION™

Forkliftable

Part #: 5115-YE  
 Dimensions: 77" L x 53" W x 6" H  
 196 cm x 135 cm x 15 cm  
 Weight: 101.6 lbs. / 46 kg  
 Sump Capacity: 61 gal. / 230.9 liters  
 Handling Capacity: 7,000 lbs. / 3,175 kg  
 Regulations: EPA 40 CFR 264.175, SPCC and NPDES

### 8-DRUM WORKSTATION™

Forkliftable

Part #: 5110-YE  
 Dimensions: 100" L x 53.25" W x 6" H  
 254 cm x 135 cm x 15 cm  
 Weight: 146 lbs. / 66.2 kg  
 Sump Capacity: 77 gal. / 291.4 liters  
 Handling Capacity: 8,000 lbs. / 3,629.7 kg  
 Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC

### LINK-LOCK™

Part #: 5112-BK (sold in pairs)  
 Dimensions: 9.5" L x 7" W x 3.5" H  
 24 cm x 18 cm x 9 cm  
 Weight: 3 lbs. / 1.3 kg

### MULTI-PURPOSE WORK RAMP™

Part #: 5111-BK  
 Dimensions: 46" L x 25.38" W x 6.13" H  
 117 cm x 64 cm x 16 cm  
 Weight: 29.8 lbs. / 13.5 kg  
 Handling Capacity: 1,000 lbs. / 454 kg

### GRATES

Part #: 7006-BK  
 Dimensions: 48" L x 23" W x 2" H  
 122 cm x 58 cm x 5 cm  
 Weight: 18 lbs. / 8 kg

ENHANCED DESIGN